



YAMAHA 2014-20 Viking Half Front Windshield

Thank you for choosing Rough Country for all your vehicle needs.

Please read instructions before beginning installation. Check the kit hardware against the kit contents shown below. Be sure you have all needed parts and know where they go.

If question exist, please call us @1-800-222-7023. We will be happy to answer any questions concerning this product. Check all fasteners for proper torque. Check to ensure for adequate clearance between all components. Periodically check all hardware for tightness.

KIT CONTENTS: Windshield x1 Seal x1 Straps x2





INSTALLATION INSTRUCTONS

- 1. Remove the protective covering from the windshield. See Photo 1.
- 2. Locate the supplied outer windshield seal. See Photo 2.







- 3. Firmly press the seal onto the windshield, all the way around the out side edge. Trim any excess of the seal. **See Photo 3.**
- 4. Place the windshield onto the front of the UTV. See Photo 4.






- 5. NOTE: How the strap is wrapped behind the pin. See Photo 5.
- 6. Install the 2 straps into the opening in each corner of the windshield. See Photo 6.







- Wrap the strap behind the pin in the outer portion of the strap. **See Photo 7.**
- Tuck the strap into the windshield. See Photo 8.





- 9. Pull the outer windshield mount tight laying the strap into the opening in the windshield. See Photo 11.10. Secure by finishing the wrap around the strap. See Photo 10.





11. Repeat steps 8-11 to secure the other strap. See Photo 11.

